

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective March 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	4.18	1358	1.22	0.29	2001	-	-	1.76	0.29	2683	3.92	1289	1.17	0.31
0008	4.38	1411	1.25	0.25	2002	5.63	1500	1.68	0.31	2688	4.93	1500	1.47	0.31
0016	10.83	1500	2.95	0.22	2003	6.05	1500	1.76	0.29	2701	20.54	1500	5.59	0.22
0034	6.74	1500	1.95	0.29	2014	8.25	1500	2.25	0.22	2702X*	52.03	1500	11.95	0.19
0035	4.20	1363	1.26	0.31	2016	3.94	1294	1.18	0.31	2705X*	93.65	1500	26.12	0.23
0036	8.21	1500	2.38	0.29	2021	8.08	1500	2.29	0.25	2710X	13.32	1500	3.39	0.20
0037	6.32	1500	1.79	0.25	2039	5.00	1500	1.49	0.31	2714	9.53	1500	2.87	0.31
0042	11.97	1500	3.38	0.25	2041	5.83	1500	1.75	0.31	2719X	18.14	1500	4.96	0.22
0050	12.24	1500	3.56	0.29	2065	7.04	1500	2.06	0.29	2731	7.26	1500	1.98	0.22
0059D	0.53	-	0.06	0.19	2070	10.21	1500	3.02	0.29	2735	8.83	1500	2.64	0.31
0065D	0.09	-	0.01	0.22	2081	5.61	1500	1.63	0.29	2759	10.39	1500	3.11	0.31
0066D	0.09	-	0.01	0.22	2089	4.27	1382	1.24	0.29	2790	2.91	1021	0.87	0.31
0067D	0.09	-	0.01	0.22	2095	7.02	1500	2.04	0.29	2797	10.30	1500	2.92	0.25
0079	6.91	1500	1.88	0.22	2105	5.33	1500	1.59	0.31	2799	6.25	1500	1.77	0.25
0083	9.13	1500	2.66	0.29	2110	4.51	1445	1.35	0.31	2802	10.30	1500	2.92	0.25
0106	43.21	1500	10.95	0.20	2111	4.23	1371	1.26	0.31	2804X	8.10	1500	2.46	0.31
0113	7.92	1500	2.28	0.29	2112	5.35	1500	1.60	0.31	2812	-	-	2.37	0.29
0170	8.87	1500	2.57	0.29	2114	3.63	1212	1.09	0.31	2835	5.02	1500	1.55	0.34
0251	5.99	1500	1.74	0.29	2121	3.57	1196	1.04	0.29	2836	5.61	1500	1.73	0.34
0400	10.34	1500	2.93	0.25	2130	4.97	1500	1.44	0.29	2841	7.57	1500	2.25	0.31
0401	13.38	A	3.39	0.20	2131	5.41	1500	1.58	0.29	2881	8.12	1500	2.51	0.34
0771N	0.81	-	-	-	2143	5.59	1500	1.67	0.31	2883	8.14	1500	2.37	0.29
0908P	269.00	519	78.04	0.29	2156	-	-	2.47	0.29	2913	7.90	1500	2.44	0.34
0909	-	-	78.04	0.29	2157	8.43	1500	2.47	0.29	2915	5.04	1500	1.44	0.25
0912	-	-	296.09	0.29	2172	3.59	1201	1.03	0.25	2916	6.27	1500	1.59	0.20
0913P	1015.00	1265	296.09	0.29	2174	5.52	1500	1.66	0.31	2923	4.25	1376	1.27	0.31
0917	16.86	1500	4.99	0.31	2211	12.74	1500	3.47	0.22	2942	4.80	1500	1.49	0.35
1005*	11.85	1500	1.41	0.19	2220	4.67	1488	1.35	0.29	2960	10.98	1500	3.20	0.29
1016X*	41.53	1500	6.39	0.19	2286	5.04	1500	1.50	0.31	3004	2.93	1026	0.80	0.22
1164D	10.52	1500	2.40	0.19	2288	6.49	1500	1.94	0.31	3018	5.22	1500	1.42	0.22
1165D	6.73	1500	1.71	0.20	2300	3.90	1284	1.21	0.34	3022	8.52	1500	2.55	0.31
1320	5.37	1500	1.37	0.20	2302	15.01	1500	4.31	0.29	3027	5.11	1500	1.40	0.22
1322	20.45	1500	5.19	0.20	2305	7.24	1500	2.03	0.25	3028	7.55	1500	2.19	0.29
1430	13.14	1500	3.56	0.22	2361	4.29	1387	1.25	0.29	3030	8.74	1500	2.39	0.22
1438	8.06	1500	2.04	0.20	2362	2.80	992	0.81	0.29	3040	7.86	1500	2.15	0.22
1452	3.70	1231	1.01	0.22	2380	9.38	1500	2.71	0.29	3041	8.54	1500	2.49	0.29
1463	27.16	1500	6.95	0.20	2386	4.42	1421	1.32	0.31	3042	7.66	1500	2.18	0.25
1472	5.04	1500	1.27	0.20	2388	3.98	1305	1.19	0.31	3064	8.25	1500	2.41	0.29
1473X	3.50	1178	0.96	0.22	2402	4.56	1458	1.24	0.22	3066	-	-	1.96	0.31
1624D	5.37	1500	1.36	0.20	2413	4.40	1416	1.28	0.29	3069	7.29	1500	1.99	0.22
1642	7.07	1500	1.92	0.22	2416	3.19	1095	0.93	0.29	3076	6.56	1500	1.96	0.31
1654	11.51	1500	3.13	0.22	2417	3.13	1079	0.91	0.29	3081DX	9.38	1500	2.53	0.22
1655	6.29	1500	1.71	0.22	2501	4.60	1469	1.34	0.29	3082D	10.63	1500	2.87	0.22
1699	6.49	1500	1.78	0.22	2503	2.07	799	0.62	0.31	3085DX	8.54	1500	2.30	0.22
1701	8.89	1500	2.43	0.22	2534	5.00	1500	1.49	0.31	3110	7.11	1500	2.07	0.29
1710D	18.86	1500	5.14	0.22	2570	6.29	1500	1.90	0.31	3111	4.25	1376	1.24	0.29
1741D	7.60	1500	1.57	0.19	2585	6.85	1500	2.05	0.31	3113	4.01	1313	1.17	0.29
1747	3.68	1225	1.01	0.22	2586	4.84	1500	1.41	0.29	3114	4.78	1500	1.40	0.29
1748	6.71	1500	1.82	0.22	2587	6.85	1500	2.05	0.31	3118	5.35	1500	1.60	0.31
1803D	10.08	1500	2.45	0.20	2589	3.43	1159	1.00	0.29	3119	2.27	852	0.70	0.34
1852D	5.79	1500	1.30	0.19	2600	3.39	1148	1.02	0.31	3122	4.42	1421	1.31	0.31
1853	4.58	1464	1.31	0.25	2623	9.05	1500	2.56	0.25	3126	6.29	1500	1.84	0.29
1860	3.30	1125	0.99	0.31	2651	3.87	1276	1.15	0.31	3131	2.77	984	0.80	0.29
1924	5.24	1500	1.57	0.31	2660	4.62	1474	1.38	0.31	3132	5.83	1500	1.69	0.29
1925	7.33	1500	2.07	0.25	2670	3.30	1125	1.02	0.34	3145	5.99	1500	1.75	0.29

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

MISSISSIPPI

Exhibit V

Page S2

Effective March 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3146	4.42	1421	1.29	0.29	3824	10.70	1500	3.03	0.25	4459	4.27	1382	1.25	0.29
3169	5.41	1500	1.57	0.29	3826	1.89	751	0.55	0.29	4470	3.90	1284	1.14	0.29
3175D	6.50	1500	1.87	0.29	3827	7.77	1500	2.20	0.25	4484	5.55	1500	1.62	0.29
3179	5.17	1500	1.55	0.31	3830	4.58	1464	1.29	0.25	4493	3.65	1217	1.07	0.29
3180	3.92	1289	1.17	0.31	3851	6.91	1500	2.07	0.31	4511	1.36	610	0.38	0.25
3188	5.44	1500	1.63	0.31	3865	3.30	1125	1.02	0.34	4557	5.83	1500	1.74	0.31
3220	3.08	1066	0.90	0.29	3881	6.74	1500	1.97	0.29	4558	2.93	1026	0.86	0.29
3223	6.27	1500	1.92	0.34	4000	12.83	1500	3.27	0.20	4561	-	-	1.17	0.25
3224	6.29	1500	1.90	0.31	4021	8.32	1500	2.26	0.22	4568	5.30	1500	1.45	0.22
3227	5.81	1500	1.74	0.31	4024D	12.55	1500	3.41	0.22	4581	2.84	1003	0.72	0.20
3240	7.92	1500	2.35	0.31	4034	13.14	1500	3.58	0.22	4583	7.33	1500	1.86	0.20
3241	7.35	1500	2.14	0.29	4036	4.91	1500	1.34	0.22	4585X	2.93	1026	0.85	0.25
3255	2.73	973	0.84	0.34	4038	9.35	1500	2.88	0.34	4586X	3.46	1167	0.89	0.20
3257	5.85	1500	1.71	0.29	4053	5.72	1500	1.66	0.29	4611	3.17	1090	0.95	0.31
3270	6.93	1500	2.02	0.29	4061	7.24	1500	2.18	0.31	4635	8.45	1500	1.93	0.19
3300	9.09	1500	2.65	0.29	4062	3.54	1188	1.03	0.29	4653	3.26	1114	0.98	0.31
3303	3.57	1196	1.07	0.31	4101	5.74	1500	1.64	0.25	4665	11.01	1500	3.00	0.22
3307	5.74	1500	1.67	0.29	4109	1.21	571	0.36	0.31	4670	14.44	1500	3.89	0.22
3315	11.34	1500	3.39	0.31	4110	2.47	905	0.72	0.29	4683	5.13	1500	1.49	0.29
3334	6.80	1500	2.00	0.29	4111	4.18	1358	1.26	0.31	4686	3.26	1114	0.88	0.22
3336	7.92	1500	2.15	0.22	4112	-	-	0.72	0.29	4692	1.01	518	0.30	0.31
3365	14.26	1500	3.88	0.22	4113	3.98	1305	1.16	0.29	4693	1.56	663	0.45	0.29
3372	7.07	1500	2.00	0.25	4114	5.08	1500	1.48	0.29	4703	3.74	1241	1.09	0.29
3373	8.17	1500	2.38	0.29	4130	6.93	1500	2.02	0.29	4717	4.20	1363	1.30	0.34
3383	2.27	852	0.68	0.31	4131	5.90	1500	1.77	0.31	4720	3.70	1231	1.08	0.29
3385	1.80	727	0.54	0.31	4133	4.93	1500	1.47	0.31	4740	3.39	1148	0.92	0.22
3400	7.51	1500	2.12	0.25	4149	1.21	571	0.38	0.34	4741	3.35	1138	0.97	0.29
3507	5.30	1500	1.55	0.29	4150	-	-	0.38	0.34	4751	5.35	1500	1.44	0.22
3515	4.23	1371	1.24	0.29	4206	11.95	1500	3.43	0.29	4771N	4.58	1500	1.05	0.19
3548	3.15	1085	0.92	0.29	4207	2.29	857	0.63	0.22	4777	8.47	1500	1.94	0.19
3559	4.73	1500	1.37	0.29	4239	3.87	1276	1.06	0.22	4825	3.26	1114	0.88	0.22
3574	2.31	862	0.70	0.31	4240	4.62	1474	1.39	0.31	4828	6.82	1500	1.92	0.25
3581	4.05	1323	1.22	0.31	4243	4.29	1387	1.25	0.29	4829	3.04	1056	0.77	0.20
3612	5.06	1500	1.44	0.25	4244	5.57	1500	1.62	0.29	4902	6.58	1500	1.98	0.31
3620X	5.63	1500	1.54	0.22	4250	4.69	1493	1.37	0.29	4923	2.60	939	0.75	0.29
3629	3.92	1289	1.18	0.31	4251	4.34	1400	1.27	0.29	5020	9.93	1500	2.72	0.22
3632X	7.29	1500	2.06	0.25	4263	5.41	1500	1.57	0.29	5022	13.12	1500	3.33	0.20
3634	4.31	1392	1.29	0.31	4273	6.85	1500	1.99	0.29	5037	38.74	1500	9.01	0.20
3635	4.38	1411	1.27	0.29	4279	4.09	1334	1.19	0.29	5040	38.45	1500	8.84	0.19
3638	3.35	1138	1.00	0.31	4282	4.78	1500	1.45	0.31	5057	7.53	1500	1.73	0.19
3639X	5.11	1500	1.18	0.19	4283	4.47	1435	1.30	0.29	5059	31.61	1500	7.24	0.19
3642	2.22	838	0.65	0.29	4299	3.96	1299	1.18	0.31	5069	89.23	1500	20.79	0.20
3643	8.03	1500	2.32	0.29	4304	11.75	1500	3.31	0.25	5102	15.08	1500	3.84	0.20
3647	4.34	1400	1.23	0.25	4307	3.13	1079	0.97	0.35	5146	10.96	1500	2.99	0.22
3648	5.04	1500	1.51	0.31	4351	1.67	693	0.49	0.29	5160	4.78	1500	1.22	0.20
3681	1.58	669	0.47	0.31	4352	2.53	920	0.76	0.31	5183	8.17	1500	2.23	0.22
3685	1.87	746	0.56	0.31	4360	2.44	897	0.73	0.31	5188	7.53	1500	2.06	0.22
3719	2.47	905	0.57	0.19	4361	2.44	897	0.73	0.31	5190	6.18	1500	1.69	0.22
3724	9.97	1500	2.53	0.20	4362	-	-	0.73	0.31	5191	1.83	735	0.53	0.29
3726	7.77	1500	1.79	0.19	4410	5.63	1500	1.65	0.29	5192	8.14	1500	2.37	0.29
3803	4.53	1450	1.32	0.29	4420	10.45	1500	2.66	0.20	5213	9.60	1500	2.44	0.20
3807	5.11	1500	1.54	0.31	4431	2.99	1042	0.92	0.34	5215	10.15	1500	2.90	0.25
3808	3.61	1207	1.03	0.25	4432	3.43	1159	1.06	0.34	5221	6.67	1500	1.83	0.22
3821	11.25	1500	3.19	0.25	4439	4.09	1334	1.17	0.25	5222	14.31	1500	3.66	0.20
3822	9.88	1500	2.82	0.25	4452	6.71	1500	1.96	0.29	5223	7.81	1500	2.14	0.22

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

MISSISSIPPI

Exhibit V

Page S3

Effective March 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5348	8.45	1500	2.32	0.22	6704M*	16.84	1500	4.62	0.22	7420	8.47	1500	15.49	0.19
5402	6.63	1500	2.00	0.31	6801F	10.32	1500	2.23	0.21	7421	2.42	891	0.62	0.20
5403	13.34	1500	3.38	0.20	6811	10.10	1500	2.78	0.22	7422	5.33	1500	1.25	0.20
5437	9.99	1500	2.73	0.22	6824F	18.77	1500	3.91	0.17	7425	15.19	1500	3.45	0.19
5443	5.94	1500	1.73	0.29	6826F	9.49	1500	2.07	0.21	7431N	2.00	1066	0.47	0.20
5445	13.18	1500	3.36	0.20	6827FX	33.68	1500	6.41	0.17	7445N	0.88	-	-	-
5462	14.94	1500	4.09	0.22	6829FX	13.56	1500	2.53	0.17	7453N	1.08	-	-	-
5472	10.54	1500	2.43	0.19	6834	5.19	1500	1.47	0.25	7502	4.75	1500	1.29	0.22
5473	12.57	1500	2.88	0.19	6836	6.36	1500	1.73	0.22	7515	2.62	944	0.60	0.19
5474	11.01	1500	2.80	0.20	6837X	7.51	1500	1.76	0.20	7520	8.56	1500	2.49	0.29
5478	10.19	1500	2.78	0.22	6843F	27.27	1500	5.21	0.17	7538	19.32	1500	4.42	0.19
5479	10.15	1500	2.89	0.25	6845F	27.53	1500	5.27	0.17	7539	3.06	1061	0.78	0.20
5480	10.43	1500	2.66	0.20	6854	8.54	1500	1.95	0.19	7540	5.92	1500	1.35	0.19
5491	5.04	1500	1.28	0.20	6872F	18.09	1500	3.44	0.17	7580	3.96	1299	1.08	0.22
5506	9.79	1500	2.24	0.19	6874F	66.87	1500	12.77	0.17	7590	11.58	1500	3.28	0.25
5507	5.66	1500	1.44	0.20	6882	5.22	1500	1.20	0.19	7600	6.65	1500	1.81	0.22
5508D	25.58	1500	6.99	0.22	6884	7.77	1500	1.80	0.20	7601	-	-	1.81	0.22
5535	18.07	1500	4.91	0.22	7016M	4.84	1500	1.12	0.19	7605	6.14	1500	1.66	0.22
5537	7.46	1500	2.04	0.22	7024M	5.37	1500	1.25	0.19	7610	0.79	459	0.23	0.25
5538	-	-	3.99	0.22	7038M	8.17	1500	1.87	0.19	7611	-	-	1.81	0.22
5551	31.61	1500	7.20	0.19	7046M	13.07	1500	3.02	0.19	7612	-	-	1.81	0.22
5606	2.99	1042	0.76	0.20	7047M	10.19	1500	2.26	0.19	7613	-	-	1.81	0.22
5610	10.94	1500	3.18	0.29	7050M	17.21	1500	3.75	0.19	7704	-	-	3.45	0.19
5645	22.76	1500	5.78	0.20	7090M	9.07	1500	2.07	0.19	7705	10.45	1500	2.97	0.25
5651	-	-	5.78	0.20	7098M	14.53	1500	3.35	0.19	7710	13.84	1500	3.45	0.19
5703	37.84	1500	10.33	0.22	7099M	27.56	1500	6.07	0.19	7711	13.84	1500	3.45	0.19
5705	19.28	1500	5.19	0.22	7133	14.22	1500	3.64	0.20	7720	4.07	1329	1.11	0.22
5951	0.86	478	0.26	0.31	7151M	17.28	1500	4.42	0.20	7855	12.48	1500	3.42	0.22
6003	13.14	1500	3.59	0.22	7152M	36.40	1500	8.90	0.20	8001	4.62	1474	1.38	0.31
6005	7.66	1500	2.10	0.22	7153M	19.19	1500	4.91	0.20	8002	4.18	1358	1.21	0.29
6017	12.48	1500	3.45	0.23	7222	9.05	1500	2.48	0.22	8006	5.08	1500	1.48	0.29
6018	4.31	1392	1.19	0.22	7228	11.75	1500	3.22	0.22	8008	3.08	1066	0.92	0.31
6045	2.82	997	0.77	0.22	7229	11.29	1500	2.89	0.20	8010	3.39	1148	1.02	0.31
6204	17.89	1500	4.54	0.20	7230	11.18	1500	3.18	0.25	8013	0.68	430	0.20	0.29
6206	8.80	1500	2.01	0.19	7231	11.75	1500	3.36	0.25	8015	1.56	663	0.45	0.29
6213	3.32	1130	0.84	0.20	7232	8.43	1500	2.16	0.20	8017	3.96	1299	1.19	0.31
6214	7.51	1500	1.70	0.18	7309F	30.35	1500	5.80	0.17	8018	5.11	1500	1.53	0.31
6216	15.03	1500	3.45	0.19	7313F	7.11	1500	1.36	0.17	8021	5.06	1500	1.47	0.29
6217	9.49	1500	2.41	0.20	7317F	13.14	1500	2.50	0.17	8031	5.55	1500	1.61	0.29
6229	11.69	1500	2.96	0.20	7327F	61.28	1500	11.76	0.17	8032	5.77	1500	1.73	0.31
6233	7.68	1500	1.94	0.20	7333M	9.00	1500	2.11	0.20	8033	4.31	1392	1.25	0.29
6235	18.64	1500	4.30	0.19	7335M	9.99	1500	2.34	0.20	8037	3.96	1299	1.19	0.31
6236	25.82	1500	7.05	0.22	7337M	18.95	1500	4.24	0.20	8039	3.61	1207	1.08	0.31
6237	2.31	862	0.63	0.22	7350F	31.01	1500	6.43	0.17	8044	6.76	1500	1.92	0.25
6251D	14.35	1500	3.66	0.20	7360	6.91	1500	1.89	0.22	8045	1.12	547	0.34	0.31
6252D	12.09	1500	2.78	0.19	7370	10.50	1500	3.05	0.29	8046	4.58	1464	1.34	0.29
6260D	11.14	1500	2.58	0.20	7380	7.59	1500	2.16	0.25	8047	1.50	648	0.45	0.31
6306	17.06	1500	4.31	0.20	7382	7.42	1500	2.16	0.29	8058	5.77	1500	1.68	0.29
6319	10.70	1500	2.72	0.20	7390	6.38	1500	1.86	0.29	8072	1.43	629	0.42	0.31
6325	10.30	1500	2.62	0.20	7394M	9.18	1500	2.14	0.20	8102	3.96	1299	1.19	0.31
6400	12.00	1500	3.42	0.25	7395M	10.19	1500	2.37	0.20	8103	5.19	1500	1.48	0.25
6503	4.42	1421	1.32	0.31	7398M	19.32	1500	4.29	0.20	8105	7.48	1500	2.25	0.31
6504	4.42	1421	1.32	0.31	7402	0.57	401	0.17	0.29	8106	11.14	1500	3.02	0.22
6702M*	15.16	1500	4.16	0.22	7403	6.10	1500	1.66	0.22	8107	6.60	1500	1.80	0.22
6703M*	31.96	1500	8.36	0.22	7405N	1.63	915	0.45	0.22	8111	6.25	1500	1.81	0.29

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

MISSISSIPPI

Exhibit V

Page S4

Effective March 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8116	5.17	1500	1.51	0.29	8826	3.83	1265	1.11	0.29	9519	5.92	1500	1.61	0.22
8203	11.23	1500	3.28	0.29	8829	4.42	1421	1.29	0.29	9521	7.18	1500	1.96	0.22
8204	5.94	1500	1.62	0.22	8831	3.10	1072	0.90	0.29	9522	4.78	1500	1.40	0.29
8209	6.01	1500	1.74	0.29	8832	0.57	401	0.17	0.29	9534	8.01	1500	2.05	0.20
8215	5.63	1500	1.53	0.22	8833	1.74	711	0.50	0.29	9554	19.32	1500	4.90	0.20
8227	10.54	1500	2.42	0.19	8835	3.57	1196	1.04	0.29	9586	2.40	886	0.73	0.34
8232X	10.34	1500	2.83	0.22	8842	4.42	1421	1.28	0.29	9600	4.40	1416	1.32	0.31
8233	7.88	1500	2.17	0.22	8855	0.57	401	0.17	0.29	9620	1.78	722	0.51	0.25
8235	7.22	1500	2.10	0.29	8856	0.57	401	0.17	0.29					
8263	10.12	1500	2.87	0.25	8861	-	-	0.71	0.29					
8264	12.81	1500	3.49	0.22	8864	2.47	905	0.71	0.29					
8265	15.69	1500	3.94	0.20	8868	0.81	465	0.24	0.31					
8279	12.06	1500	3.05	0.20	8869	2.38	881	0.70	0.31					
8288	15.67	1500	4.21	0.22	8871	0.42	361	0.12	0.31					
8291	7.42	1500	2.10	0.25	8901	0.53	390	0.15	0.25					
8292	5.15	1500	1.50	0.29	9012	3.08	1066	0.87	0.25					
8293	14.57	1500	3.99	0.22	9014	5.85	1500	1.70	0.29					
8295X	4.07	1329	1.18	0.29	9015	6.89	1500	2.00	0.29					
8304	9.20	1500	2.52	0.22	9016	6.25	1500	1.80	0.29					
8350	7.53	1500	1.92	0.20	9019	3.76	1246	1.03	0.22					
8353X	7.26	1500	1.98	0.22	9033	4.14	1347	1.21	0.29					
8380	6.25	1500	1.77	0.25	9040	8.72	1500	2.61	0.31					
8381	4.82	1500	1.36	0.25	9044	2.82	997	0.84	0.31					
8385	5.59	1500	1.53	0.22	9052	4.64	1480	1.39	0.31					
8392	4.03	1318	1.17	0.29	9058	3.02	1050	0.93	0.34					
8393	3.08	1066	0.91	0.29	9059	-	-	0.70	0.31					
8500	13.73	1500	3.75	0.22	9060	2.75	979	0.82	0.31					
8601	1.50	648	0.43	0.25	9061	2.13	814	0.66	0.34					
8602	1.54	658	0.44	0.25	9062	2.99	1042	0.93	0.34					
8603	0.57	401	0.17	0.29	9063	1.69	698	0.50	0.31					
8606	7.20	1500	1.84	0.20	9077F	4.56	1458	1.03	0.28					
8709F	14.64	1500	2.81	0.17	9082	3.65	1217	1.13	0.34					
8719	6.69	1500	1.52	0.19	9083	2.42	891	0.74	0.34					
8720	2.22	838	0.61	0.22	9084	2.88	1013	0.84	0.29					
8721	0.64	420	0.17	0.22	9088a	a	a	a	a					
8723	0.57	401	0.17	0.29	9089	1.74	711	0.52	0.31					
8725	2.60	939	0.70	0.22	9093	2.95	1032	0.88	0.31					
8726F	5.77	1500	1.25	0.21	9101	6.93	1500	2.07	0.31					
8734M	1.54	658	0.42	0.22	9102	4.29	1387	1.25	0.29					
8737M	1.39	618	0.38	0.22	9110	-	-	0.71	0.29					
8738M	2.93	1026	0.76	0.22	9154	2.66	955	0.77	0.29					
8742	1.14	552	0.31	0.22	9156	5.37	1500	1.52	0.25					
8745	8.72	1500	2.46	0.25	9170	9.84	1500	2.24	0.19					
8748	1.17	560	0.33	0.25	9178	18.42	1500	5.73	0.35					
8755	0.84	473	0.23	0.22	9179	26.15	1500	7.80	0.31					
8799	1.83	735	0.53	0.29	9180	7.53	1500	2.03	0.22					
8800	2.95	1032	0.91	0.34	9182	3.61	1207	1.04	0.29					
8803	0.20	303	0.06	0.22	9186	19.76	1500	4.98	0.20					
8805M	0.77	454	0.22	0.29	9220	10.21	1500	2.90	0.25					
8810	0.57	401	0.17	0.29	9402	9.53	1500	2.59	0.22					
8814M	0.70	436	0.20	0.29	9403	19.52	1500	4.94	0.20					
8815M	1.47	640	0.42	0.29	9410	5.68	1500	1.65	0.29					
8820	0.48	377	0.13	0.25	9501	5.50	1500	1.56	0.25					
8824	6.51	1500	1.94	0.31	9505	6.07	1500	1.72	0.25					
8825	4.27	1382	1.32	0.34	9516	9.53	1500	2.60	0.22					

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.53	S	1710D	0.15	S	3175D	0.07	S
0065D	0.09	S	1741D	0.73	S	4024D	0.07	S
0066D	0.09	S	1803D	0.44	S	5508D	0.11	S
0067D	0.09	S	1852D	0.11	Asb	6251D	0.09	S
1164D	0.11	S	3081DX	0.11	S	6252D	0.07	S
1165D	0.04	S	3082D	0.15	S	6260D	0.07	S
1624D	0.04	S	3085DX	0.09	S			

Asb=Asbestos, S=Silica

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$5.73. (For coverage written separately for federal benefits only, \$4.23. For coverage written separately for state benefits only, \$1.50.)
- 1016 Rate includes a non-ratable disease element of \$13.84. (For coverage written separately for federal benefits only, \$10.21. For coverage written separately for state benefits only, \$3.63.)
- 2702 An upset payroll of \$10.00 per cord shall be used for premium computation purposes only when verifiable payroll records are not available.
- 2705 An upset payroll of \$10.00 per cord shall be used for premium computation purposes in all instances.
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.561 and elr x 2.445.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$51,100.00
Leased or rented vehicle.....	\$34,100.00

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$250.00

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40
Minimum Premium Factor	0.75
Maximum Premium Factor	1.75
Loss Conversion Factor	1.21
Tax Multiplier	1.046

Loss Development Factors	
1st Adjustment	0.19
2nd Adjustment	0.12
3rd Adjustment	0.10
4th Adjustment	0.06

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports," and Code 9179 -- "Athletic Sports or Park: Contact Sports" \$2,200.00

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers"..... \$650.00

Per Passenger Seat Surcharge - In accordance with **Basic Manual** footnote instructions for Code 7421, the surcharge is:

Maximum surcharge per aircraft.....	\$1,000.00
Per passenger seat.....	\$100.00

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3 \$34,100.00

Terrorism - (Assigned Risk)..... 0.01

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 93%

(Multiply a Non-F classification rate by a factor of 1.93 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.84) and the adjustment for differences in loss-based expenses (1.051).)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$9,000. If more than two years, an average annual premium of at least \$4,500 is required. Page A-1 of the **Experience Rating Plan Manual** should be referenced for the latest approved eligibility amounts by state.