

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

MISSISSIPPI

Page S1

Original Printing

Effective March 1, 2010

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
0005	5.38	1000	2001	4.80	1000	2651	4.63	1000	3145	3.75	1000	3822	8.35	1000
0008	3.77	1000	2002	6.09	1000	2660	4.54	1000	3146	5.71	1000	3824	8.57	1000
0016	9.82	1000	2003	3.88	1000	2670	3.27	1000	3169	4.82	1000	3826	1.38	602
0034	6.05	1000	2014	8.85	1000	2683	4.37	1000	3175D	3.79	1000	3827	4.48	1000
0035	4.11	1000	2016	4.26	1000	2688	6.85	1000	3179	3.40	1000	3830	5.51	1000
0036	12.12	1000	2021	7.58	1000	2701	11.67	1000	3180	4.05	1000	3851	4.87	1000
0037	6.22	1000	2039	5.45	1000	2702X*	60.65	1000	3188	4.80	1000	3865	2.91	992
0042	12.01	1000	2041	4.65	1000	2705X*	90.47	1000	3220	2.45	875	3881	6.72	1000
0050	12.77	1000	2065	6.31	1000	2710X	12.92	1000	3223	6.16	1000	4000	10.27	1000
0059D	0.50	-	2070	9.41	1000	2714	5.83	1000	3224	5.86	1000	4021	5.99	1000
0065D	0.09	-	2081	7.10	1000	2719X	19.81	1000	3227	5.12	1000	4024E	12.38	1000
0066D	0.09	-	2089	3.83	1000	2731	7.02	1000	3240	4.93	1000	4034	12.47	1000
0067D	0.09	-	2095	6.57	1000	2735	7.73	1000	3241	6.87	1000	4036	5.94	1000
0079	5.79	1000	2105	5.15	1000	2759	9.52	1000	3255	3.40	1000	4038	7.82	1000
0083	10.01	1000	2110	3.53	1000	2790	3.16	1000	3257	5.17	1000	4053	6.48	1000
0106	46.35	1000	2111	3.38	1000	2802	11.54	1000	3270	4.89	1000	4061	9.32	1000
0113	6.61	1000	2112	5.30	1000	2804X	5.66	1000	3300	8.66	1000	4062	3.23	1000
0170	4.24	1000	2114	4.13	1000	2812	6.50	1000	3303	4.93	1000	4101	4.18	1000
0251	7.19	1000	2121	4.63	1000	2835	4.09	1000	3307	5.94	1000	4111	6.09	1000
0400	9.47	1000	2130	4.99	1000	2836	5.53	1000	3315	8.50	1000	4112	2.15	798
0401	13.43	A	2131	4.72	1000	2841	6.39	1000	3334	4.65	1000	4113	3.23	1000
0771N	0.78	-	2143	4.39	1000	2881	6.48	1000	3336	5.43	1000	4114	4.46	1000
0908P	226.00	476	2150	-	-	2883	8.83	1000	3365	14.49	1000	4130	7.73	1000
0909	-	-	2156	-	-	2913	7.08	1000	3372	6.42	1000	4131	4.67	1000
0912	-	-	2157	8.53	1000	2915	5.64	1000	3373	4.39	1000	4133	5.51	1000
0913P	775.00	1000	2172	3.23	1000	2916	6.72	1000	3383	2.56	903	4150	1.31	584
0917	11.07	1000	2174	5.25	1000	2923	4.26	1000	3385	1.83	717	4206	5.94	1000
1005*	10.51	1000	2211	11.99	1000	2942	4.50	1000	3400	7.04	1000	4207	2.00	760
1016X*	46.10	1000	2220	4.11	1000	2960	8.38	1000	3507	6.22	1000	4239	3.34	1000
1164E	10.62	1000	2286	4.97	1000	3004	3.14	1000	3515	3.98	1000	4240	4.33	1000
1165E	6.15	1000	2288	4.46	1000	3018	3.77	1000	3548	2.56	903	4243	3.62	1000
1320	4.37	1000	2300	3.68	1000	3022	8.05	1000	3559	5.99	1000	4244	3.92	1000
1322	29.75	1000	2302	7.17	1000	3027	4.69	1000	3574	2.76	954	4250	4.50	1000
1430	8.07	1000	2305	4.16	1000	3028	4.89	1000	3581	4.11	1000	4251	3.44	1000
1438	5.25	1000	2361	7.41	1000	3030	9.11	1000	3612	3.40	1000	4263	4.50	1000
1452	3.44	1000	2362	2.93	997	3040	6.31	1000	3620X	6.95	1000	4273	4.33	1000
1463	25.38	1000	2380	5.27	1000	3041	6.67	1000	3629	5.08	1000	4279	4.41	1000
1472	4.37	1000	2386	4.07	1000	3042	8.14	1000	3632X	5.90	1000	4282	3.40	1000
1473X	3.29	1000	2388	4.76	1000	3064	11.35	1000	3634	5.21	1000	4283	6.85	1000
1624E	5.72	1000	2402	4.44	1000	3066	-	-	3635	4.61	1000	4299	3.34	1000
1642	5.96	1000	2413	4.16	1000	3069	13.43	1000	3638	3.23	1000	4304	8.38	1000
1654	9.02	1000	2416	2.76	954	3076	5.27	1000	3639X	3.98	1000	4307	2.15	798
1655	7.82	1000	2417	2.80	964	3081DX	7.54	1000	3642	1.51	635	4308	-	-
1699	4.74	1000	2501	3.83	1000	3082D	10.74	1000	3643	9.11	1000	4351	1.59	655
1701	6.67	1000	2503	1.96	750	3085DX	9.22	1000	3647	4.11	1000	4352	2.05	773
1710E	14.08	1000	2534	3.27	1000	3110	5.99	1000	3648	5.10	1000	4360	2.35	849
1741E	5.19	1000	2570	4.97	1000	3111	4.52	1000	3681	2.41	865	4361	2.67	931
1747	3.85	1000	2576	-	-	3113	3.40	1000	3685	2.28	831	4362	1.83	717
1748	6.70	1000	2578	-	-	3114	4.93	1000	3719	2.54	898	4410	5.45	1000
1803D	9.22	1000	2585	7.00	1000	3118	3.88	1000	3724	8.12	1000	4420	9.75	1000
1852D	6.29	1000	2586	3.19	1000	3119	2.39	859	3726	7.10	1000	4431	2.65	926
1853	5.36	1000	2587	6.33	1000	3122	3.88	1000	3803	4.39	1000	4432	2.89	987
1860	3.10	1000	2589	4.03	1000	3126	5.25	1000	3807	4.78	1000	4439	2.97	1000
1924	5.73	1000	2600	2.95	1000	3131	2.80	964	3808	3.14	1000	4452	5.21	1000
1925	7.06	1000	2623	6.65	1000	3132	6.07	1000	3821	12.81	1000	4459	3.88	1000

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Effective March 1, 2010

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
4470	4.74	1000	5402	8.85	1000	6801F	12.96	1000	7420X	72.56	1000	8111	4.76	1000
4484	5.45	1000	5403	14.94	1000	6811	6.48	1000	7421	2.65	926	8116	4.48	1000
4493	4.69	1000	5437	10.81	1000	6824F	18.69	1000	7422	6.50	1000	8203	10.94	1000
4511	1.89	732	5443	6.27	1000	6826F	12.60	1000	7423	-	-	8204	6.55	1000
4557	3.68	1000	5445	11.26	1000	6827FX	37.18	1000	7425	11.11	1000	8209	5.90	1000
4558	3.06	1000	5462	10.94	1000	6829FX	6.80	1000	7431N	3.49	1000	8215	6.37	1000
4561	4.16	1000	5472	10.23	1000	6834	4.89	1000	7445N	0.69	-	8227	11.13	1000
4568	4.44	1000	5473	9.37	1000	6836	4.78	1000	7453N	1.87	-	8232X	8.33	1000
4581	3.16	1000	5474	12.36	1000	6837X	4.95	1000	7502	3.83	1000	8233	10.96	1000
4583	5.15	1000	5478	9.21	1000	6843F	29.91	1000	7515	1.89	732	8235	8.85	1000
4585X	2.63	921	5479	9.28	1000	6845F	56.45	1000	7520	9.37	1000	8263	12.85	1000
4586X	3.19	1000	5480	13.13	1000	6854	7.15	1000	7538	15.93	1000	8264	10.03	1000
4611	2.00	760	5491	3.70	1000	6872F	23.55	1000	7539	3.57	1000	8265	13.65	1000
4635	8.44	1000	5506	6.72	1000	6874F	78.02	1000	7540	7.04	1000	8279	18.30	1000
4653	2.35	849	5507	7.62	1000	6882	3.01	1000	7580	4.18	1000	8288	10.10	1000
4665	12.12	1000	5508D	29.82	1000	6884	9.13	1000	7590	7.13	1000	8291	8.25	1000
4670	10.27	1000	5535	13.43	1000	7016M	6.35	1000	7600	5.12	1000	8292	4.50	1000
4683	4.74	1000	5536	-	-	7024M	7.06	1000	7601	10.96	1000	8293	14.32	1000
4686	2.97	1000	5537	7.23	1000	7038M	8.12	1000	7605	3.64	1000	8295X	4.52	1000
4692	0.90	480	5538	-	-	7046M	11.95	1000	7610	0.73	436	8304	9.24	1000
4693	1.72	689	5551	36.90	1000	7047M	13.39	1000	7611	12.83	1000	8350	7.28	1000
4703	4.13	1000	5606	3.47	1000	7050M	17.09	1000	7612	14.08	1000	8353X	7.56	1000
4717	3.70	1000	5610	9.19	1000	7090M	9.02	1000	7613	8.12	1000	8380	4.91	1000
4720	3.29	1000	5645	16.81	1000	7098M	13.28	1000	7704	-	-	8381	3.70	1000
4740	3.14	1000	5651	15.14	1000	7099M	25.19	1000	7705	8.05	1000	8385	4.61	1000
4741	4.07	1000	5703	42.41	1000	7133	12.19	1000	7710	8.46	1000	8392	4.63	1000
4751	3.70	1000	5705	11.13	1000	7151M	14.81	1000	7711	8.46	1000	8393	2.69	936
4771N	4.41	1000	5951	1.12	536	7152M	31.20	1000	7720	4.80	1000	8500	13.15	1000
4777	7.73	1000	6003	26.40	1000	7153M	16.45	1000	7855	14.86	1000	8601	1.87	727
4825	1.79	706	6005	6.95	1000	7222	13.43	1000	8001	4.28	1000	8602	1.87	727
4828	4.74	1000	6017	12.47	1000	7228	11.67	1000	8002	3.16	1000	8603	0.60	403
4829	2.73	946	6018	3.12	1000	7229	10.46	1000	8006	4.52	1000	8606	4.93	1000
4902	4.26	1000	6045	3.34	1000	7230	5.71	1000	8008	2.84	974	8709F	14.64	1000
4923	2.39	859	6204	14.73	1000	7231	10.96	1000	8010	3.57	1000	8719	3.85	1000
5020	8.48	1000	6206	8.12	1000	7232	6.11	1000	8013	0.73	436	8720	3.12	1000
5022	14.58	1000	6213	3.16	1000	7309F	38.34	1000	8015	1.42	612	8721	0.75	441
5037	41.12	1000	6214	3.81	1000	7313F	6.29	1000	8017	3.70	1000	8725	3.12	1000
5040	37.66	1000	6216	14.96	1000	7317F	13.24	1000	8018	4.69	1000	8726F	10.74	1000
5057	12.49	1000	6217	9.95	1000	7327F	33.31	1000	8021	4.41	1000	8734M	1.49	630
5059	35.20	1000	6229	8.98	1000	7333M	10.85	1000	8031	4.97	1000	8737M	1.33	589
5069	95.87	1000	6233	7.90	1000	7335M	12.06	1000	8032	5.96	1000	8738M	2.82	969
5102	13.97	1000	6235	23.73	1000	7337M	22.86	1000	8033	3.62	1000	8742	1.10	531
5146	9.19	1000	6236	21.94	1000	7350F	58.88	1000	8039	3.08	1000	8745	8.85	1000
5160	6.09	1000	6237	2.93	997	7360	8.59	1000	8044	5.34	1000	8748	0.99	502
5183	8.38	1000	6251D	15.81	1000	7370	8.05	1000	8045	1.03	513	8755	0.62	408
5188	7.04	1000	6252D	14.79	1000	7380	6.16	1000	8046	5.27	1000	8799	2.65	926
5190	5.60	1000	6260D	11.19	1000	7382	7.71	1000	8047	1.59	655	8800	2.65	926
5191	2.56	903	6306	14.70	1000	7390	5.92	1000	8050	-	-	8803	0.28	321
5192	7.90	1000	6319	10.98	1000	7394M	11.91	1000	8058	4.67	1000	8805M	0.82	459
5213	10.42	1000	6325	9.84	1000	7395M	13.22	1000	8072	1.57	650	8810	0.60	403
5215	8.44	1000	6400	9.69	1000	7398M	25.06	1000	8102	4.11	1000	8814M	0.73	436
5221	6.74	1000	6504	5.06	1000	7402	0.60	403	8103	5.49	1000	8815M	1.55	645
5222	14.21	1000	6702M*	18.04	1000	7403	6.31	1000	8105	8.91	1000	8820	0.41	355
5223	6.87	1000	6703M*	38.02	1000	7405N	1.27	750	8106	10.36	1000	8824	4.99	1000
5348	9.54	1000	6704M*	20.07	1000	7409	-	-	8107	6.03	1000	8825	3.98	1000

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Effective March 1, 2010

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
8826	3.85	1000	9522	3.34	1000									
8829	4.26	1000	9534	10.83	1000									
8831	2.91	992	9554	24.76	1000									
8832	0.58	398	9586	2.71	941									
8833	1.57	650	9600	3.94	1000									
8835	3.90	1000	9620	1.85	722									
8842	2.13	793												
8861	-	-												
8864	2.13	793												
8868	0.71	431												
8869	1.51	635												
8871	0.47	370												
8901	0.65	416												
9012	2.71	941												
9014	4.69	1000												
9015	6.22	1000												
9016	4.63	1000												
9019	4.09	1000												
9033	4.26	1000												
9040	6.87	1000												
9044	2.33	844												
9052	3.57	1000												
9058	3.27	1000												
9059	3.66	1000												
9060	3.34	1000												
9061	2.15	798												
9062	3.44	1000												
9063	1.51	635												
9077F	3.72	1000												
9082	3.66	1000												
9083	2.65	926												
9084	3.25	1000												
9088a	a	a												
9089	1.72	689												
9093	2.50	888												
9101	6.74	1000												
9102	4.00	1000												
9110	-	-												
9154	2.48	882												
9156	3.27	1000												
9170	4.69	1000												
9178	30.85	1000												
9179	31.28	1000												
9180	6.22	1000												
9182	4.16	1000												
9186	29.78	1000												
9220	8.38	1000												
9402	6.70	1000												
9403	9.97	1000												
9410	5.40	1000												
9501	4.72	1000												
9505	7.08	1000												
9516	11.00	1000												
9519	6.16	1000												
9521	5.62	1000												

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2010

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.
- E Rate for classification already includes the specific disease loading shown in the table below.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.50	S	1710E	0.11	S	3175D	0.04	S
0065D	0.09	S	1741E	0.50	S	4024E	0.06	S
0066D	0.09	S	1803D	0.39	S	5508D	0.13	S
0067D	0.09	S	1852D	0.11	Asb	6251D	0.09	S
1164E	0.11	S	3081DX	0.09	S	6252D	0.09	S
1165E	0.04	S	3082D	0.15	S	6260D	0.06	S
1624E	0.04	S	3085DX	0.11	S			

Asb=Asbestos, S=Silica

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$6.59. (For coverage written separately for federal benefits only, \$4.22. For coverage written separately for state benefits only, \$2.37.)
- 1016 Rate includes a non-ratable disease element of \$15.33. (For coverage written separately for federal benefits only, \$9.82. For coverage written separately for state benefits only, \$5.51.) It also includes a catastrophe loading of \$0.26.
- 2702 An upset payroll of \$10.00 per cord shall be used for premium computation purposes only when verifiable payroll records are not available.
- 2705 An upset payroll of \$10.00 per cord shall be used for premium computation purposes in all instances.
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.56 and elr x 2.457.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2010

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$50,079.00
Leased or rented vehicle.....	\$33,386.00

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$250.00

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.30	Loss Development Factors	
Minimum Premium Factor	0.75	1st Adjustment	0.19
Maximum Premium Factor	1.75	2nd Adjustment	0.12
Loss Conversion Factor	1.203	3rd Adjustment	0.08
Tax Multiplier	1.048	4th Adjustment	0

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports," Code 9179 -- "Athletic Sports or Park: Contact Sports," and Code 9186 -- "Carnival--Traveling"..... \$2,100.00

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers"..... \$100.00

Per Passenger Seat Surcharge - In accordance with **Basic Manual** footnote instructions for Code 7421, the surcharge is:

Maximum surcharge per aircraft.....	\$1,000.00
Per passenger seat.....	\$100.00

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3..... \$33,400.00

Terrorism - (Assigned Risk)..... 0.01

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 95%

(Multiply a Non-F classification rate by a factor of 1.95 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.85) and the adjustment for differences in loss-based expenses (1.052).)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$9,000. If more than two years, an average annual premium of at least \$4,500 is required. Page A-1 of the **Experience Rating Plan Manual** should be referenced for the latest approved eligibility amounts by state.

RESERVED FOR FUTURE USE